

PAINTED ALUMINUM SKINS

While other manufacturers use stucco embossed galvanized steel that can rust when the paint is scratched, White metal sliders from Weiland are fabricated with painted aluminum skins that are resistant to corrosion.

ALUMINUM FUNNEL TRACK

The aircraft grade aluminum track system with the integrated hood is an eye-catching feature. The funnel-shaped extrusion is open for light wash-down and cleaning. Bushings and bearings are stainless steel, and the wheels are large diameter HDPE.

COOLER OR FREEZER

This door system can be ordered for cooler or freezer applications with electric heat in the jambs and all four sides of the door panel. Interior applications are typical for these doors, but there are special configurations for exterior use also.

MANUAL OR POWER OPERATED

For manual configuration, a breaker lever can be installed to meet egress requirements. When powered, the door is driven by an easy-to-use NEMA4X operator that controls an aluminum IP55 motor.

SINGLE SLIDE OR BI-PART

When you need the door to open twice as fast, a Bi-Part door can come in handy. This door can be ordered as a single slide door or as a bi-parting door.

WHITE ALUMINUM CLAD COLD STORAGE HORIZONTAL SLIDER



FEATURES AS SHOWN:

- Aluminum Funnel System
- Manual Configuration
- Aluminum Casings
- White Painted Aluminum Panel
- Breaker Handle for Egress
- Perimeter Gaskets

WHITE ALUMINUM CLAD HORIZONTAL SLIDER

STANDARD DESIGN:

PANEL CONSTRUCTION

- No Wood Construction
- Embossed Aluminum Skins
- Extruded Aluminum Inner Frame
- Internal Steel Corner Bracket
- U.L. Listed

INSULATION

- Void-free with a 4" thick F.I.P. Closed Cell Polyurethane
- Dual Blade Panel Mounted Santoprene Gaskets
- Adjustable Bottom Sweep

ALUMINUM FUNNEL TRACK

- Heavy Duty, Aircraft Grade Extruded Aluminum
- Funnel-shaped Design for Moisture Ejection
- Large Diameter HDPE Wheel
- Stainless Steel Bushings and Bearings

CASINGS AND HEADER

- Insulated Extruded Aluminum

GUIDANCE SYSTEM

- HDPE Guide Block with Hook and Snubber
- No Clunky Stay-rollers

PULL HANDLES

- Stainless Steel Pull Handles
- Recessed Interior Pull Handles

FREEZER DOORS

- Three-Sided Heat in Frame
- Self-Regulating Heated Door Panel
- Protected Heat Chase
- U.L. Listed Heaters

POWER OPERATOR

- IP55 Aluminum Motor with Nickel-Plated Chain
- Inside Safety Release with Power Disconnect
- Integrated Safety Sensors
- Pneumatic Reversing Safety Edge
- 120-240V Single Phase

OPTIONS:

PANEL ATTRIBUTES

- Diamond Tread or Stainless Steel Kickplates
- Vision Panels with glazing options
- Wicket Panel
- Rain Drip Edge (For Exterior Applications Only)

HARDWARE


- Breaker Handle
- Wall Mounted Guide
- Keyed Lock

CASINGS AND HEADER

- Extruded Aluminum Jamb and Mirror Image Casings
- Jamb Caps

ADDITIONAL POWER OPTIONS

- Hands-free actuators (Wave, Proximity, Loop)
- Safety Lights



WEILAND

